

## AROSO AdBlue®

AdBlue is a diesel exhaust fluid used in vehicles with Selective Catalytic Reduction (SCR) technology to reduce harmful gases being released into the atmosphere. AdBlue is a 32,5 % solution of high-purity, synthetically manufactured urea in de-mineralized water. It is a safe-to-use fluid. The use of AdBlue® is governed by the EURO V and EURO VI emission standards.

### Instruction for use

Intended for use in diesel engine vehicles equipped with an SCR catalytic converter. Follow the vehicle manufacturer's instructions!

### Properties

	UNIT	CHARACTERISTIC VALUES
<b>Appearance</b>	-	clear liquid
<b>Colour</b>	-	colourless
<b>Relative density (20°C)</b>	kg/m <sup>3</sup>	1087 -1093
<b>pH value</b>	-	8 – 10
<b>Odour</b>	-	Ammonia

Notice: Values of physical-chemical parameters stated above are typical values.

### Storage

Store in tightly closed containers in cold, at temperatures between- 11 and +30 °C, dry and well ventilated areas designated for this purpose. The shelf life is at least 3 years from the date of manufacture on the packaging.

### Health, safety and the environment

Not a dangerous substance.

These data and information should be considered as current at the time of printing. No commitments or statements expressed expressly or impliedly may be made on the basis of the set of accurate data contained in this publication. It is the duty of the user to use the product safely and to the extent of the declared properties in accordance with existing laws and standards. No passage given in this publication will be construed as permission, recommendation, or authorization to patent ideas without a valid license. The seller will not be liable for any loss or damage resulting from irresponsible and unsafe treatment in breach of the instructions given in this information (this disclaimer of liability is not limited to the buyer's statutory rights)