



中国认可  
检验  
INSPECTION  
CNAS IB0071



NO.2615050017

# SAFETY DATA SHEET

**Product Name:** Li-ion Battery Pack B05-3640 36V 4.0Ah 144Wh

**Revision Date:** 2015-06-23

**Compiler:** Shao Jun

**Checker:** Fenghuo

**Approver:** Zhangxiaojin



Shanghai Research Institute of Chemical Industry Testing Centre

# 声 明

## Statement

1. 本报告无本实验室公章无效。

The report is invalid if it is not affixed the official seal of the laboratory to it.

2. 复制本报告未重新加盖本实验室公章无效。

Copies of the report without the official seal of the laboratory are invalid.

3. 本报告无编制、审核、批准人签字无效。

The report is invalid without the signatures of compiler, checker and approver.

4. 本报告涂改无效。

The report is invalid if it is blotted out.

5. 未经本实验室书面批准，不得部分复制本报告。

It is forbidden to copy the report partially without the written approval of the laboratory.

6. 送样委托检验结果，仅对所送样品有效。

The conclusion of the consignment test is only valid for the provided sample.

7. 除另有说明，检测检验类别都是指委托分析。

Unless noted otherwise, the test type is consignment test.

地址：上海市云岭东路 345 号

Address: No.345 East Yunling Road, Shanghai

邮政编码(Post Code): 200062

电话(Tel): (021) 52569800

传真(Fax): (021) 52569800-0716

网址 (web site): [www.ghs.cn](http://www.ghs.cn)

电子信箱(E-mail): [fz@ghs.cn](mailto:fz@ghs.cn)

# SUZHOU KINGCLEAN PRECISION MACHINERY CO., LTD.

## SAFETY DATA SHEET

### Li-ion Battery Pack B05-3640 36V 4.0Ah 144Wh

#### SECTION1 PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Li-ion Battery Pack B05-3640 36V 4.0Ah 144Wh  
**Company:** SUZHOU KINGCLEAN PRECISION MACHINERY CO., LTD.  
**Address:** No. 99, Zhufeng Road, Mudu Town, Wuzhong District, Suzhou, Jiangsu Province, 215009, P. R. China  
**Email:** Safaty-certification@kingclean.com  
**Fax:** /  
**Emergency Phone:** +86-512-69583708  
**SDS Number:** 2615050017  
**SDS Date:** 2015-06-23

#### SECTION2 HAZARDS IDENTIFICATION

**Hazards Identification:**

Class 9, miscellaneous. The battery has passed the test items of UN Model Regulations, Manual of Test and Criteria Section UN 38.3.

**Emergency Overview:**

Caution: Avoid contact and inhalation the electrolyte contained inside the battery.

#### SECTION3 INFORMATION ON INGREDIENTS

**Product name:** Li-ion Battery Pack B05-3640 36V 4.0Ah 144Wh

| Ingredient          | Concentration | CAS No.   | EC No.    |
|---------------------|---------------|-----------|-----------|
| Metal Oxide         | 25-35%        | /         | /         |
| Aluminium           | 3-5%          | 7429-90-5 | 231-072-3 |
| Graphite Carbon     | 12-17%        | 7782-42-5 | 231-955-3 |
| Copper              | 10-20%        | 7440-50-8 | 231-159-6 |
| Organic electrolyte | 5-15%         | /         | /         |

#### SECTION4 FIRST-AID MEASURES

**Skin Exposure:**

If the internal battery materials of an opened battery cell come into contact with the skin, immediately flush with plenty of water.

**Eye Exposure:**

In case of the internal battery materials in contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

**Inhalation Exposure:**

If inhaled the internal materials of battery, remove immediately to fresh air and seek medical attention.

**Oral Exposure:**

If swallowed the internal materials of battery, do not induce vomiting. Seek immediate medical attention.

**SECTION5 FIRE FIGHTING MEASURES****Extinguishing Media:**

Suitable: Dry chemical, Sandy soil, Carbon dioxide or appropriate foam.

**Firefighting:**

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific hazards: Emit toxic fumes under fire conditions.

**SECTION6 ACCIDENTAL RELEASE MEASURES****Procedure of Personal Precaution:**

If batteries show signs of leaking, avoid skin or eye contact with the material leaking from the battery. Use chemical resistant rubber gloves and non-flammable absorbent materials for clean up. Mix with inert material (e.g. dry sand, vermiculite) and transfer to sealed container for disposal.

**SECTION7 HANDLING AND STORAGE****Handling:**

Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short circuits. Avoid mechanical or electrical abuse. More than a momentary short circuit will generally reduce the battery service life. Avoid reversing battery polarity within the battery assembly. In case of a battery unintentionally be crushed, rubber gloves must be used to handle all battery components. Avoid contact with eyes, skin. Avoid inhalation. No smoking at working site. Materials to Avoid: Strong oxidizing agents, Corrosives.

**Storage:**

Store in a cool, well-ventilated area. Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short circuits. Materials to Avoid: Strong oxidizing agents, Corrosives.

**SECTION8 EXPOSURE CONTROL/PPE****Engineering Controls:**

Use ventilation equipment if available. Safety shower and eye bath.

**Personal Protective Equipment:**

Respiratory System: Not necessary under conditions of normal use.

Eyes: Not necessary under conditions of normal use.

Clothing: Wear appropriate protective clothing.

Hand: Safety gloves.

**Other Protect:**

No smoking, drinking and eating at working site. Wash thoroughly after handling.

**SECTION9 PHYSICAL/CHEMICAL PROPERTIES**

**Appearance:** Black plastics cement shell

**Odor:** Odorless

**Melting Point/°C:** >300°C

**Solubility:** Partial soluble in water

**SECTION10 STABILITY AND REACTIVITY**

**Stability:**

Stable under normal temperatures and pressures.

**Conditions to Avoid:**

Avoid exposure to heat and open flame. Avoid mechanical or electrical abuse. Prevent short circuits. Prevent movement which could lead to short circuits.

**Materials to Avoid:**

Strong oxidizing agents, Corrosives.

**Hazardous Polymerization:**

Will not occur.

**Hazardous Decomposition Products:**

Metal oxides, CO, CO<sub>2</sub>.

**SECTION11 TOXICOLOGICAL INFORMATION**

**Toxicity Data:**

Not available.

**Irritation Data:**

The internal battery materials may cause irritation to eyes and skin.

**SECTION12 ECOLOGICAL INFORMATION**

No data available.

**SECTION13 DISPOSAL CONSIDERATION**

**Appropriate Method of Disposal of Substance:**

Lithium batteries are best disposed of as a non-hazardous waste when fully or mostly discharged. Contact a licensed professional waste disposal service to dispose of large quantities materials.

**SECTION14 TRANSPORT INFORMATION**

**RID/ADR:** Proper Shipping Name: Lithium ion batteries  
UN Number: UN3480  
Hazard Class: 9  
Packing Group: II

**IATA:** Proper Shipping Name: Lithium ion batteries  
UN Number: UN3480  
Hazard Class: 9  
Packing Group: II  
The product shall meet the General Requirements and section IA of Packaging Instruction 965 (IATA DGR).

IMO: Proper Shipping Name: Lithium ion batteries  
UN Number: UN3480  
Hazard Class: 9  
Packing Group: II  
EmS No.: F-A, S-I

### SECTION15 REGULATORY INFORMATION

US DOT Effective December 29, 2004, the DOT requires that the outside of each package that contains primary lithium batteries, regardless of size or number of batteries, be labeled with the following statement: "PRIMARY LITHIUM BATTERIES-POBIDDEN FOR TRANSPORT ABOARD PASSENGER AIRCRAFT". The labeling requirement covers shipments via highway, rail, vessel or cargo-only aircraft and covers all shipment inside, into or out of the US. The label must be in contrasting color and the letters must be 12 mm (0.5 in) in height for packages weighing more than 30 Kg and 6 mm (0.25 in) in height for packages weighting less than 30 Kg.

### SECTION16 OTHER INFORMATION

Date:  
2015-06-23

Department:  
Shanghai Research Institute of Chemical Industry Testing Centre  
Tel (Fax): 8621-52815377/52800971/52807275/52811034/52569800

Revision:  
0

#### Other Information:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.

